

Code:1028



EDGE BANDING MACHINE

Technical specifications

Brand	SCM
Model	Olimpic k 360
Industry	Italy
Dimensions	2950 x 1200 x 1500 mm
Weight (approx.)	1197 kg
Total power	12 kw / 16 hp
Pressure Air	0.6 MPa / 6 bar
Panels thickness	8 – 60 mm
The glue pot	1.5 kg
Thickness of edges	0.4 – 3 mm
Feed speed	11 m/min
Stages.	1-End Cutting Unit with Round Corner 2-Line & Tillable trimming unit 3-Edge &Glue scraping Unit 4-Brushing unit
Advanced Feature	1 – Compact LCD based control panel 2- Manual up and down movement 3- Meter counter 4- The machine operates on Schneider Electric

Code:1028

Technical specifications		
Brand	الماركة	SCM
Model	الموديل	Olimpic k 360
Industry	الصناعة	ايطالي/Italy
Dimensions	الأبعاد	2950 x 1200 x 1500mm
Weight (approx.)	الوزن	1197 kg
Total power	القدرة الكلية	12 kw / 16 hp
Pressure Air	ضغط الهواء المطلوب	0.6 MPa / 6 bar
Panels thickness	سمك الألواح	8 – 60 mm
The glue pot	سعة وعاء الغراء	1.5 kg
Thickness of edges	سمك الشريط	0.4 – 3 mm
Feed speed	سرعة التغذية	11 m/min
Stages.	المراحل	1-End cutting with Round Corner التقصيب مع راوند كورنر 2-Line & Tillable trimming unit تخديم بكسر السوكة 3-Edge & Glue scraping Unit المقشطة 4-Brushing unit فرش التلميع
Advanced Feature	مميزات متقدمة	1 – Compact LCD based control panel لوحة تحكم مدمجة تعمل بشاشة 2-Manual up and down movement طلوع ونزول مانيوال 3- Meter counter عداد أمتار 4-The machine operates on Schneider Electric لوحة تحكم كهربائية للمكنة على نظام شنايدر

Code:1028

